Hybrid Ego - The University of Tokyo

Thu. 4 September - Tue. 9 September 2008

10:00-19:00 Gellery Talk: Sat. 6 Sep 17:00-

venue: kunstuniversität

University of Art and Industrial Design Linz, Hauptplatz 8, 4010 Linz, Austria

http://www.aec.at/en/festival2008/

http://www.cyber.t.u-tokyo.ac.jp/ArsCampus/



4-9 Sep @ kunstuniversität campus | Tokyo Exhibition

Artworks by students of The University of Tokyo

campus | Tokyo Workshop 4-9 Sep @ Salon, kunstuniversität

"Keitai Trail!: Mobile Video Workshop by "Media Exprimo"

6 Sep 10:00-16:30 @ Theater, kunstuniversität campus | Tokyo Conference

"Crossing the boundary between Art and Technology"

Postgraduate research presentations from The University of Tokyo

& Interface Cultures, University of Art and Industrial Design Linz & Zurich University of the Arts.

campus | Tokyo Talk 8 Sep 13:00-17:00 @ Brucknerhaus

"Presentation of The University of Tokyo"

Animation Next - presented by CG-ARTS @ Theater, kunstuniversität







Exhibition Information

Ars Electronica Campus 2008: Hybrid Ego - The University of Tokyo

Date: Thu. 4 September - Tue. 9 September 2008

Time: 10:00 - 19:00

Venue: kunstuniversität

(University of Art and Industrial Design Linz)

Address: Hauptplats 8, 4010 Linz, Austria

Organizer: The University of Tokyo, Ars Electronica Campus 2008 Exective Committee

URL : http://www.cyber.t.u-tokyo.ac.jp/ArsCampus/

Special support and special thanks to collaborators / participants and committee members:

THE MACHINE INDUSTRY MEMORIAL FOUNDATION (TEPIA) / CG-ARTS / Japan Media Arts Festical Executive Committee / The EU-Japan Fest Japan Committee / Content Science Education Program / IAMAS / NTT InterCommunication Center[ICC] / KDDI R&D Laboratories Inc.

Some artworks are partly supported by Japan Science and Technology Agency (JST), Core Research for Evolutional Science and Technology (CREST), and Foundation of Technology Supporting the Creation of Digital Media Contents.

Michitaka Hirose, Chuichi Arakawa, Katsushi Ikeuchi, Masayuki Inaba, Susumu Tachi, Takeo Igarashi, Takeshi Naemura, Shin Mizukoshi, Tomoe Moriyama, Naoki Kawakami, Yasuaki Kakehi, Tomoaki Yoshikai, Alvaro Cassinelli, Shunsuke Kudoh, Taro Suzuki, Yasuhiro Suzuki, Hideaki Nii, Kunihiro Nishimura, Junji Watanabe, Rica Okabe / Hiroshi Harashima, Syunya Yoshimi / Keiko Kobayashi(IAMAS), Nobuya Suzuki(IAMAS), Hiroshi Kanechiku

Cover Drawing Yasuhiro Suzuki

Pamphlet Design Tomohiro Akagawa

Printed in Japan by PrintNet Corporation

Copyright© 2008 The University of Tokyo All rights reserved.





Ars Electronica Center

The University of Tokyo
7-3-1, Hongo, Bunkyo-ku, Tokyo, 1130033 (JP)
Tel +81-3-5841-6369
e-mail ArsCampus@cyber.t.u-tokyo.ac.jp
URL http://www.u-tokyo.ac.jp/

端 ARS ELECTRONICA Campus 2008

Campus 2008 The University of Tokyo

Message from the President

The University of Tokyo in Japan commemorated its glorious history as we celebrated the 130th anniversary in 2007. During these 130 years, we have acquired a tremendous amount of knowledge. It is not easy to make full use of this knowledge. It is necessary to integrate the knowledge that has been fractionalized into numerous specialized fields into one unit, associate pieces of knowledge with each other, and apply the significance of such cutting-edge studies to society; namely, the structuring of knowledge is required. Undoubtedly, the perspectives of international exchange and artistic activity, in addition to studies in laboratories and schools, can be effectively used to carry out the structuring of knowledge.

As the university president, I often use the words, the courage to lead (stand ahead). I hope our students will take the initiative in all aspects of our society and make use of their imagination while looking to the future. I have heard that this is the first time for a university to hold its campus exhibition in ARS Electronica. Young faculty members and students of The University of Tokyo, with the courage to lead, are presenting their research achievements at the exhibition, in which the technology and the arts are integrated. I would be pleased if viewers took the time to appreciate each display of their work.

Hiroshi Komiyama President, The University of Tokyo

Hybrid Ego, towards a new horizon of Hybrid Art

The University of Tokyo was established in 1877 as the first national university in Japan. CAMPUS2008 exhibition and its related events introduce various leading edge projects by students, researchers and professors mainly from those 3 courses (Graduate School of Interdisciplinary Information Studies/Graduate School of Information Science and Technology /Graduate School of Engineering). This is the excellent result of a research project that realizes technology that foresees the possible future closely related to the high/sub-culture. Other research areas and studies like robotics, mixed reality/augmented reality, ubiquitous media, interface and sensing by UT focus on art methods to show their projects results. We would like to invite all visitors to CAMPUS2008 to view the future possibilities, rich resources of expression and studies of the Hybrid Ego /Self towards the new Hybrid Art field.

Tomoe Moriyama Curator/Project Associate Professor, Graduate School of Interdisciplinary Information Studies, The University of Tokyo

• ephemeral melody

Risa Suzuki, Taro Suzuki, Sejichi Ariga, Makoto Iida, and Chuichi Arakawa

"ephemeral melody" is a novel musical instrument using soap bubbles. We can listen to unrepeatable music at the time bubble burst through this instrument. When you turn a handle



of this instrument, bubbles come out of a box instead of the sounds. Then bubbles become sounds when they hit copper pipes. We can listen to the "once-in-a-lifetime music." It aims to play music that depends on the environment around this instrument rather than electronic devices.

2 Kotaro

- A Multiple-DOF Variable-Flexible-Spine Musculoskeletal Humanoid

Yoshinao Sodevama, Naova Muramatsu, Tomoaki Yoshikai, Ikuo Mizuuchi, Masavuki Inaba, with Inaba Lab.

Humanoid robots are still in a process of the evolution. A next-generation humanoid named "Kotaro" is the most

advanced and complex one. It is designed in an anatomically-based approach. It has a spine, scapulas, collarbones and ball-and-socket joints like a human skeleton. The anatomic-based body is driven by the over a 100 motors. You can meet the future robotics.

3 TORSO - the telexistence system

Kouichi Watanabe, Hideaki Nii, Naoki Kawakami and Susumu Tachi

TORSO acquires natural visual information and accurately tracks the user's head motion. Earlier, conventional devices were only able to express the three-axis rotation of the neck, but TORSO goes beyond that capability to



also express the neck's translational motion. The device is positioned at a distance from and facing toward the user, who wears an HMD or HMP and experiences the image transmitted by TORSO: a view of the user as seen by a second person.

Virtual Asukakvo

Tetsuva Kakuta, Rei Kawakami, Takeshi Oishi and Katsushi Ikeuchi

Virtual Asukakvo intends to restore Japanese ancient capital of Asuka-Kyo to its original state by using Mixed Reality technology. We reconstruct the lost buildings of Asuka-Kvo with




CG and synthesize them with the real landscape of Asuka village. The technical feature of this project is the real-time shadowing. The soft shadows of virtual objects are generated by using a set of pre-rendered basis images and shadowing planes.

O Virtual Bayon

Sonoko Okura, Yasuhide Okamoto, Takeshi Oishi and Katsushi Ikeuchi

The Bayon temple is a richly decorated stone architecture. located at the center of Angkor Thom in Cambodia. We started the Bayon Digital Archival Project in 2003 to preserve this world-heritage historical site in fine




detail. "Virtual Bayon" is a system to display the Bayon's entire 3D model that we have obtained, with a simple, intuitive user interface. You can change your view direction by moving the display freely, and see the Bayon's outstanding value to humanity.

6 Log-Log 2008

Hideaki Takata, Junghyun Kim, Sho Amano, Eriko Shiraya, Makoto Iida and Takeshi Naemura

Log-Log is a balance-beam shaped interface that makes use of shifts in the user's center of gravity as the input, and an interlocked interactive video system. Spread under the balance-beam is a video image of water that



sensor are attached on the beam to measure flexure of the wood. By this research, it is possible to turn various things into interfaces by simply attaching sensors to them.

inter-glow

Takuji Narumi, Atsushi Hiyama, Tomohiro Tanikawa and Michitaka Hirose

"inter-glow" is a system that facilitates close interaction and communication among users by using multiplexed visible-light communication technol-

ogy. When users shine lamps on a table in a miniature living room, the system recognizes which lamps are illuminated and produces family conversations.

Optical Camouflage

Takumi Yoshida, Hideaki Nii, Naoki Kawakami and Susumu Tachi

Optical camouflage technology makes seem to be transparent. The cloth is vade with a retro-reflective that reflects light precisely according to the angle of incidence. When an



image is projected to the material, viewers at a specific location perceive a realistic merger of the projected image with the background. This technology is applied to the field of art in collaboration with Junji Watanabe(NTT/JST) and Nathan Cohen (Artist, U.K.).

Bionic Engine Rvuma Niivama

Because of today's highly sophisticated technology, humanoid robots and bio-inspired machines have emerged as our partners, helpers, and alter egos.

As is a soft engine powered by clean



compressed air. The engine is driven by pneumatic artificial muscles and has a heart beat. The motorcycle displayed here is the prototype of expected future products. A machine equipped with a Bionic Engine can be thought of as the mirror image of a future human equipped with an artificial organ.

Mappies of Robotic Polysemy

Marika Hayashi, Asuka Kadowaki, Ryohei Ueda, Tomoaki Yoshikai and Masavuki Inaba with Inaba Lab.

This work consists of a tactile humanoid and furniture that move in conjunction. You can operate the humanoid by touching the furniture and vice versa. Tools are designed to be touched



and manipulated by humans, and as they evolve into machines and further to robots, their relationship between humans enhances the polysemy of behavior, i.e., "to operate" and "to be operated." How many robots, or subjects of behavior can you find in this work?

Tablescape Plus

Yasuaki Kakehi. Takeshi Naemura and Mitsuhiro Matsushita

"Tablescape Plus" is an interactive tabletop video theater. Different images are projected onto the respective tiny screens placed on the table. As the user moves the screens, the images change. Moreover, users can develop



new stories by changing the arrangement of the screens. For example, when the screens are placed side-by-side, the images on the respective screens react to one another. Users can be involved in the world of these tiny imageries, which is like a living miniature garden.

Robot Dancer

Shinichiro Nakaoka, Shunsuke Kudoh and Katsushi Ikeuchi

This robot dances based on paradigm, Learning From Observation (LFO), in which a robot observes human actions, recognizes what the



human is doing, and maps the recognized actions to robot actions for the purpose of mimicking them. The dance motion is not preprogrammed by a human, but the robot automatically finds a key point in a dance and represents it.

Plushie

Yuki Mori and Takeo Igarashi

Plushie is an interactive system that allows nonprofessional users to design their own original plush toys. We use a sketching interface for 3D modeling and also provide various editing operations tailored for plush toy design.



The model on the screen is always a good approximation of the final sewn result, which makes the design process much more efficient. We successfully demonstrated that non-professional users could design plush toys or balloon easily using Plushie.

boxedEgo

Alvaro Cassinelli and Masatoshi Ishikawa

boxedEgo is a double trap for the Self: a stereoscopic peep-show box waiting in a corner of the exhibition space first captures the curiosity of the observer - and then the observer himself. The box appears empty:




however, if the observer talks, the box detects the human prev and traps it in its interior, effectively transforming a subject into it's own object of observation. This work is a preliminary exploration on the cognitive (and possible practical) aspects of artificial autoscopy.

(B) Haptic Radar

Alvaro Cassinelli, Carson Reynolds, Alexis Zerroug and Masatoshi Ishikawa

The Haptic Radar is a wearable device composed of an array of "optical hair modules" that sense obstacle range and generate vibro-tactile cues on the user's skin. An analogy in the animal world would be the insect antennae or



the cat whiskers. Among the targeted applications are visual prosthetics for the blind, augmentation of spatial awareness in hazardous environments, as well as enhanced awareness for car drivers (in this case the sensors may cover the surface of the car).

GravityGrabber

Kouta Minamizawa, Hideaki Nii, Naoki Kawakami and Susumu Tachi

GravityGrabber provides a new form of ubiquitous haptic interaction that delivers weight sensations of virtual objects. A vertical force and a shearing

force on the user's fingerpad are reproduced by a pair of motors that roll up a belt. With these devices on your index finger and thumb, you can perceive interactive grip, gravity, and inertial forces of virtual objects during various behaviors such as shaking and rotational motion.

feelings of daily details

Tokihiko Fukao. Noguchi BME Lab.

When you touch and stroke this concrete table, sound is generated and varies according to your stroke. Examining our daily life keenly, we recognize that rich details are already hidden in

it. But usually, rather consciously or unconsciously, aren't we deadening our sense and denying the contact with actual sensation of reality? By the experience of stroking the concrete, I present a metaphor for such contact and prompt people updating their view of daily lives.

ambie scape Tomohiro Akagawa

"ambie scape" is an ambient visual work projected to wall facade. The input is people's action which unwittingly performed, and it induce a reaction on projected images. This works try to reconsider the meanings of Interactive

and Reactive on relationships between people and images. It's not just prepared environment, but it can be reactable sight as a style of ambient interaction. People can face the sight consciously, but also defy close attention. That's what I want to represent - "a discreet ambient interaction."

structured creature

Yosuke Ushigome, Yasuhiro Suzuki, Kunihiro Nishimura, Tomohiro Tanikawa and Michitaka Hirose

"structured creatue" is a small prototype of a moving space structure that can interact with humans. This flexible

structure wriggles slowly, rising and collapsing repetitively. This movement is derived from its own structure, called "tensegrity," "structured creature" transforms

by changing the equilibrium state between tension and compression with artificial muscles. This work gives a strong presage of the future where physical space completely corresponds to the subjective space that people perceive.

wavers

Takashi Suzuki, Kunihiro Nishimura, Yasuhiro Suzuki, Tomohiro Tanikawa and Michitaka Hirose

In general, human beings transmit and receive information by sound, while insects and animals often use vibration instead. We guess is, by transmitting information by vibration, we will be able to recognize

the feeling that is usually hidden below unconsciousness. This piece "wavers" allows you to feel a new type of "information" by translating the interaction between the interface and objects into vibration. Please step on the board

and sense a difference of various textures. Feel the sensation yourself.

Sticky Light

Alvaro Cassinelli, Takahiko Ishikawa , Yusaku Kuribara, Stephane Perrin and Masatoshi Ishikawa

A laser spot bounces on a figure being drawn on paper, trying to escape the labyrinth of lines. There is no camera nor projector: this is an

experience where the audience can touch and interact with a beam of pure light - and even play a pong game with bare hands. The piece is based upon a novel 3d tracking mechanism using a laser diode, a pair of steering mirrors, and a single non-imaging photodetector.

Kaze no Chi

Eriko Shiraya, Seiichi Ariga, Taro Suzuki and Chuichi Arakawa



The streamline on the wall changes as the movement of yourself. Not only changes, but it expresses how

wind drifts around yourself. Please see, use the whole body, and feel "the flow of the wind" that we can't see in the real world.

A Method for 3D Scene Reconstruction from Ukivo-e Yuka Kubo, Jie Zhao, Koichi Hirota

This method is for generating "Ukiyo-e composition" from perspective images such as a photograph. Although Western method of perspective drawing reached Japan in 1739.



many works of Ukivo-e. Japanese traditional woodblock print, were painted using the original composition and not the perspective method. For development this method, we quantitatively identify the features of Ukiyo-e of an architectural scene.

② DPS (Digital Peep Show) Taizo Matsumura / Tomoe Morivama



It is a demonstration of interactive DPS software and its workshop documents by Tomoe Moriyama, cooperated and

originally developed by Taizo Matsumura. "Peep Show box" is originally known as a kind of perspective illusion device from pre-cinema history.

Workshop, Conference, Presentation and Related events

campus | Tokvo Workshop

Keitai Trail! :Mobile Video Workshop by "media exprimo" 4 (Thu.) - 9 (Tue.) Sep. 10:00-18:00 @1F Salon YAJIKITA TIME in the Room 13:30-14:30

Jun Abe, Masako Miyata, Kosuke Numa, Tatsuo Sugimoto, Yuri Tanaka and Kiyoko Toriumi,

In this workshop, we will collect "keitai" (mobile phone in Japanese) video clips from participants, and make collaborative slide shows on screens. There will be "keitai video shooting" team wearing Japanese traditional travel clothes asking for people to be video-shooted. Please be prepared for our workshop!

Postgraduate research presentations from The University of Tokyo

& Interface Cultures, University of Art and Industrial Design Linz & Zurich University of the Arts

6 (Sat) Sep. 10:00-16:30 @1F Theater

[Time Table]

10:00-10:20 Christa Sommerer & Laurent Mignonnea / Professor of University of Art and Industrial Design Linz

First Session 11:00-12:30 Presentation by Students *

Second Session 13:30-14:30 Presentation by Students *

Closing

Tomoe Moriyama / Project Associate Professor of The University of Tokyo / Curator, Museum of Contemporary Art Tokyo

* Students of The University of Tokyo, University of Art and Industrial Design Linz & Zurich University of the Arts

Gallery Talk 6 (Sat) Sep. 17:00-17:30 Great opportunity to meet all professors and projects

"Presentation of the University of Tokyo"

Tomoe Moriyama, Arakawa Lab., Ikeuchi Lab, Ishikawa-Komuro Lab., Inaba Lab., Tachi Lab., Hrashima-Naemura Lab., Hirose-Tanikawa Lab., media exprimo

Ars Electronica campus 2008 Animation Next

4(Thu.) - 9(Tue.) Sep. 10:00-18:00 @1F Theater

pecoraped (NISHIO Miyako, SUGIDONO Ikue)















Opening

10:20-10:40 Gerhard M.Buurman / Professor of Zurich University of the Arts

10:40-11:00 Michitaka Hirose / Professor of The University of Tokyo

Lunch Break 12:30-13:30

Coffee Break 14:30-15:00

Third Session 15:00-16:00 Presentation by Students *

16:10-16:30 Takeshi Naemura / Associate Professor of The University of Tokyo

campus | Tokvo Presentation

8 (Mon) Sep. 13:00-17:00 @Brucknerhaus

in collaboration with CG-ARTS/cooperation with Japan Media Arts Festival Executive Committee

Straying Little Red Riding Hood

Grand Prize, Animation Division.

The 13th Computer Graphics Contest for Students